



#21
SLG
B
DOCKET NO. GYN-0045
#4
424

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 09/589,242

Applicants: Priewe et al,

Filed : June 7, 2000

For : METHOD AND APPARATUS FOR ADJUSTING FLEXIBLE AREAL POLYMER IMPLANTS

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231 on

3/26/03
(Date of Deposit)

Melissa J. Szanto

Name of applicant, assignee, or Registered Representative

Melissa J. Szanto
(Signature)

3/26/03
(Date of Signature)

Commissioner for Patents
Washington, D.C. 20231

SUBMISSION OF CORRECTED DRAWINGS

Attention: Official Draftsperson

Sir:

Applicants herewith submit one set of photocopies of twenty-seven (27) sheets of corrected drawings in connection with the above-identified patent application pursuant to a Notice of Allowability mailed January 27, 2003.

This submission is made within three months from January 27, 2003, the mailing date of the "Notice of Allowance and Issue Fee Due".

Please charge any fees which may be required for this submission to Johnson & Johnson Deposit Account No. 10-0750/GYN-0045/MJS. Three copies of this sheet are enclosed.

Respectfully submitted,

Melissa J. Szanto
Melissa J. Szanto
Attorney for Applicants
Reg. No. 40,834

Johnson & Johnson
One Johnson & Johnson Plaza
New Brunswick, NJ 08933-7003
(732) 524-1365